

Noelson Chemicals

www.noelson.com

Formulation Guideline Light Color High Build Epoxy Anti-Static Coating

Guideline:

Part A

Product Name	Suggested Amount %
Epoxy resin	30.0
Xylene	14.0
Butyl alcohol	6.0
Degassing agent	0.2
Silane coupling agent	0.2
Polyamide wax	1.0
Noelson™ Anti-setting agent	0.5
Noelson™ Conductive Mica Powder EC-300	24.0
Noelson™ Barium sulfate	3.5
TiO ₂	6.5
Talc filler	3.5

Part B

Product Name	Suggested Amount %
Epoxy resin hardener	25.0

Disclaimer:

The guideline is provided for informational purposes only.